

## Datasheet: MCA1291P

Description:	RAT ANTI MOUSE KAPPA LIGHT CHAIN:HRP				
Specificity:	KAPPA LIGHT CHAIN				
Format:	HRP				
Product Type:	Monoclonal Antibody				
Clone:	LO-MK-1				
lsotype:	lgG2a				
Quantity:	0.5 mg				

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived							
	from testing within our laboratories, peer-reviewed publications or personal communications from							
	the originators. Please refer to references indicated for further information. For general protocol							
	recommendations, please visit www.bio-rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Immunohistology - Frozen	•						
	Immunohistology - Paraffin							
	ELISA	•			500ng/ml - 1000ng/ml			
	Western Blotting			•				
	Where this antibody has no	Where this antibody has not been tested for use in a particular technique this does not necessarily						
	exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is							
	recommended that the use	recommended that the user titrates the antibody for use in their own system using appropriate						
	negative/positive controls.							
	5 1							
Target Species	Mouse							
Product Form	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid							
Preparation	Purified IgG prepared by affinity chromatography from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative	0.01% Thiomersal							
Stabilisers	50% Glycerol							
Approx. Protein Concentrations	IgG concentration 1 mg/ml							
Immunogen	Purified mouse IgG1 kappa.							
External Database	UniProt:							
Links								
	P01837 Related rea	gents						
	Entroz Conol							
	Entrez Gene:							

16071 Igk-C Related reagents

Specificity   Rat anti Mouse kappa light chain antibody, clone LO-MK-1     immunoglobulin light chain, and does not cross-react murine in lambda light chains.						
immunoglobulin light chain, and does not cross-react murine in lambda light chains.   ELISA This product may be used in a direct ELISA or as a detection r together with MCA1589 as the capture reagent.   References 1. Delaunay, T. et al. (1990) Rat (and mouse) monoclonal antibiling production in mouse hybridoma culture supernatants. J Imm 2. Savignac. M. et al. (2010) Increased B cell proliferation and transgenic mice. J Immunol. 185:7527-36.   3. Laffont S et al. (2017) Androgen signaling negatively control Exp Med. pii: jem.20161807. [Epub ahead of print]   Storage Store at +4°C or at -20°C if preferred.   This product should be stored undiluted.   Storage in frost free freezers is not recommended. Avoid repeating denature the antibody. Should this product contain a precimic rocentrifugation before use.   Shelf Life 18 months from date of despatch.   Health And Safety Information Material Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10097 available at:	Spleen cells from immunized LOU/c rats were fused with cells of the rat IR983F myeloma cell line.					
together with MCA1589 as the capture reagent.References1. Delaunay, T. et al. (1990) Rat (and mouse) monoclonal antibling production in mouse hybridoma culture supernatants. J Imm 2. Savignac. M. et al. (2010) Increased B cell proliferation and transgenic mice. J Immunol. 185:7527-36. 3. Laffont S et al. (2017) Androgen signaling negatively control Exp Med. pii: jem.20161807. [Epub ahead of print]StorageStore at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeat may denature the antibody. Should this product contain a preci- microcentrifugation before use.Shelf Life18 months from date of despatch.Health And Safety InformationMaterial Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10097 available at:	Rat anti Mouse kappa light chain antibody, clone LO-MK-1 recognises the murine kappa immunoglobulin light chain, and does not cross-react murine immunoglobulin heavy chains or lambda light chains.					
Ig production in mouse hybridoma culture supernatants. J Imm 2. Savignac. M. et al. (2010) Increased B cell proliferation and transgenic mice. J Immunol. 185:7527-36. 3. Laffont S et al. (2017) Androgen signaling negatively control Exp Med. pii: jem.20161807. [Epub ahead of print]StorageStore at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeat may denature the antibody. Should this product contain a preci- microcentrifugation before use.Shelf Life18 months from date of despatch.Health And Safety InformationMaterial Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10097 available at:	This product may be used in a direct ELISA or as a detection reagent in a sandwich ELISA together with MCA1589 as the capture reagent.					
This product should be stored undiluted.   Storage in frost free freezers is not recommended. Avoid repeating the antibody. Should this product contain a precision microcentrifugation before use.   Shelf Life 18 months from date of despatch.   Health And Safety Material Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10097 available at:	munol Methods. 131 (1): 33-9. d reduced Ig production in DREAM					
may denature the antibody. Should this product contain a preci- microcentrifugation before use.Shelf Life18 months from date of despatch.Health And Safety InformationMaterial Safety Datasheet documentation available at: Material Safety Datasheet Documentation #10097 available at:						
Health And SafetyMaterial Safety Datasheet documentation available at:InformationMaterial Safety Datasheet Documentation #10097 available at:	• •					
Information Material Safety Datasheet Documentation #10097 available at:						
Regulatory For research purposes only						

## **Related Products**

## **Recommended Useful Reagents**

AbGUARD® HRP STABILIZER PLUS (BUF052A) AbGUARD® HRP STABILIZER PLUS (BUF052B) AbGUARD® HRP STABILIZER PLUS (BUF052C) TMB CORE (BUF056A) TMB CORE+ (BUF062A) TMB SIGNAL+ (BUF054A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

'M314740:180412'

Printed on 13 Apr 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint