

Datasheet: MCA2175A488

Description:	RAT ANTI HUMAN CD195:Alexa Fluor® 488
Specificity:	CD195
Other names:	CCR5
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	HEK/1/85a
lsotype:	lgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol							
	recommendations, please visit www.bio-rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
		Flow Cytometry Neat						
	Where this antibody has not been tested for use in a particular technique this does not necessarily							
		e user titrates the		vorking dilutions are give for use in their own syst	• •			
Target Species	Human							
Product Form	Purified IgG conjugated to Alexa Fluor® 488 - liquid							
Max Ex/Em	Fluorophore	Excitation Max (nm) Emi	ssion Max (nm)				
	Alexa Fluor®488	495		519				
Preparation	Purified IgG prepared	by affinity chrom	atography	on Protein G from tissu	e culture supernatant			
Buffer Solution	Phosphate buffered sa	aline						
Preservative	0.09% Sodium Azide							
Stabilisers	1% Bovine Serum	Albumin						
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml							
Immunogen	CHO cells transfected	CHO cells transfected with human CCR5						
External Database Links	UniProt: <u>P51681</u> <u>Relate</u>	ed reagents						

Entrez Gene:

1234 CCR5 Related reagents

Synonyms	CMKBR5
Fusion Partners	Spleen cells from immunised rats were fused with cell of the rat Y3 myeloma cell line
Specificity	Rat anti Human CD195 antibody, clone HEK/1/85a recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5.
	CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 100ul fresh whole blood.
References	1. Mueller, A. <i>et al.</i> (2002) Pathways for internalization and recycling of the chemokine receptor CCR5. <u>Blood 99 (3): 785-91.</u>
	2. Pilch-Cooper, H.A. et al. (2011) Circulating human CD4 and CD8 T cells do not have large
	intracellular pools of CCR5. <u>Blood 118: 1015-9.</u>
	3. Ramirez, R. <i>et al.</i> (2006) Microinflammation in hemodialysis is related to a preactivated subset of
	monocytes. Hemodial Int. 10 Suppl 1:S24-7.
	4. Liptrott, N.J. <i>et al.</i> (2009) The impact of cytokines on the expression of drug transporters, cytochrome P450 enzymes and chemokine receptors in human PBMC. <u>Br J Pharmacol. 156:</u>
	497-508.
	5. Bönsch, C. et al. (2015) Potent Anti-HIV Chemokine Analogs Direct Post-Endocytic Sorting of
	CCR5. <u>PLoS One 10 (4): e0125396.</u>
	6. Holmannova, D. <i>et al.</i> (2016) Effects of conventional CPB and mini-CPB on neutrophils CD162,
	CD166 and CD195 expression. Perfusion Sep 13. pii: 0267659116669586. [Epub ahead of print]
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Otherways in funct for a fragment is not recommended. This product is photosonalitize and should be
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	18 months from date of despatch.
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation.
Acknowledgements	The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes
	other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

For research ducts d Negative Cont	trols			
d Negative Cont				
•				
TIVE CONTROL:Ale	xa Fluor® 4			
		<u>188 (MCA6005A488)</u>		
d Useful Reagen	nts			
00 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
	.com	Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	o-rad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
	OCK (BUF070A) OCK (BUF070B) 000 265 7376 919 878 3751	OCK (BUF070A) OCK (BUF070B)	Worldwide Tel: +44 (0)1865 852 700 919 878 3751 Fax: +44 (0)1865 852 739	Worldwide Tel: +44 (0)1865 852 700 Europe 919 878 3751 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

'M299903:170105'

Printed on 05 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint